



## Inter- M CU-440 F Indoor Column Speakers

### Inter-M CU440F Column Speakers

- [Inter-M CU440F Column Speakers](#)
- [Specifications](#)
- [Accessories](#)
- [Product Sheet](#)

#### Sample Description

CU-440F	
Rated power	40W/20W
Impedance	250Ω/500Ω
Frequency Response (-10dB)	180Hz - 14kHz
Sensitivity (1W/1m)	95dB
Weight	5.8kg
Dimensions	156x600x129mm

#### Sample Description

Download this product's specsheet in PDF format

## Inter- M CU-440 F Indoor Column Speakers

*Sale Price*

**\$96.60**

To Order Call 1-(866) 775-1013

### Column Speaker Overview

A newly designed column speaker for indoor that matches with any interior smoothly.

This is the first column speaker that achieved the KS certification, which guarantees its reliability and function. It provides a rich sound to fit complex building such as a department store

---

## Column Speaker Feature

- Full range driver unit
  - High quality matching transformer
  - Light gray color
  - User-friendly design for fast installation
  - Direction adjustable with bracket
  - IP 34
- 



## Inter- M CU-430 F Indoor Column Speakers

### Inter-M CU10-40 Column Speakers

- [Inter-M CU30 Column Speakers](#)
  - [Specifications](#)
  - [Accessories](#)
  - [Product Specsheet](#)
-

**CU-430F**

Rated power	30W/15W
Impedance	330Ω/660Ω
Frequency Response (-10dB)	180Hz - 14kHz
Sensitivity (1W/1m)	95dB
Weight	4.8kg
Dimensions	156x500x129mm

Download this product's specsheet in PDF format

*Sale Price*

**\$80.96**

To Order Call 1-(866) 775-1013

## Column Speaker Overview

A New design of column speaker, is for indoor speaker, and it matches with interior very well.

Also, the first column speaker that has the KS certification can be guaranteed high reliability and function and it provide a rich quality sound so it fit to multiple usage building such as department store.

---

## Column Speaker Feature

- Full range driver unit
- Using of high quality matching transformer
- Light gray color for matching with interior
- User based design for fast installation
- Direction adjustable with bracket
- Grading of IP-34



**Inter- M CU-420 F Indoor Column Speakers**

---



**Inter- M CU-410 F Indoor Column Speakers**